INDEX TO VOLUME 66, 1990

Authors and subjects are indexed together. (When there are four or more authors only the first three are indexed.) Page numbers preceded by (MA) refer to Matters Arising.

ABDENNADER S, CASIN I, BRUNAT N, *et al*: Sexual transmission of *Gardnerella vaginalis* (*corr*), **45**

ABDOOL KARIM SS. *See* COOVADIA YM, **124**

ABRAM R. *See* CLARKE J, **189**

ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS). *See also* HUMAN IMMUNODEFICIENCY VIRUS
- The Genitourinary physician, **2**
- HIV-1 P4 antigenaemia does not predict time of survival, **138**
- Knowledge in a group of young adolescent girls in Leeds, **189**
- Parvovirus infection and anaemia: case report, **95**
- Treatment of CMV retinitis with zidovudine and ganciclovir, **156**

ACYCLOVIR
- Oral, long-term suppression of severe recurrent genital herpes simplex infections: dose-titration study, **101**

ADOLESCENT GIRLS
- Colposcopy (*corr*), **228**
- Sexually active: *C trachomatis*, **66**
- Sexual behaviour and knowledge about AIDS in a group in Leeds, **189**

AFRICA
- South: community-based seroprevalence survey of syphilis in black children (*corr*), **124**
- STD (*Editorial*), **235**

AHMED HJ. *See* ISMAIL SO, **70**

AHMED IH. *See* JAYAWEERA DT, **305**

ALAWATTEGAMA AB. *See* COKER DM, **44**

ALDERETE JF. *See* LEHKER MW, **193**

AL-EGAILY SS. *See* DUNLOP EMC, **227**

ALERGANT C: Lesson of the week, introduced by BA Evans, **272**

AMSTERDAM
- Increase of infectious syphilis among heterosexuals: its relationship to drug use and prostitution, **31**

AN-PING N, CHUN-XIA GU, SHI-TAI LI, *et al*: The prevalence of Chlamydia infection in outpatient clinics in Beijing, China (*corr*), **125**

ANDERSEN LP. *See* KROON S, **101**

ANDERSON-FABRY DISEASE
- Angiokeratoma corporis diffusum universale (clinical vignette), **399**

ANTIBIOTICS. *See also specific antibiotics*
- Changing pattern of resistance of *N gonorrhoeae* (*Editorial*), **55**
- Quality assurance scheme in long-term multicentre study of susceptibility of *N gonorrhoeae*, **8**

ANUS
- Verrucous carcinoma containing HPV type 16 DNA detected by in situ hybridisation: case report, **342**

ARTHRITIS
- Gonococcal, caused by auxotype P in a man with HIV infection, **91**
- Reactive, caused by *Yersinia pseudotuberculosis* (MA), **48**

ARUMAINAYAGAM JT, SUMATHIPALA AHT: Value of performing biopsies in genitourinary clinics (*corr*), **407**

ARUMAINAYAGAM JT, SUMATHIPALA AHT, SMALLMAN LA, *et al*: Flat condylomata of the penis presenting as patchy balanoposthitis, **251**

ARUMAINAYAGAM JT, WHITE DJ, MATTHEWS RS: Longer incubation of an amplified enzyme immunoassay for the detection of *Chlamydia trachomatis* (*corr*), **461**

AUDIT. *See* MEDICAL AUDIT

BAKAYA V. *See* KUMAR B, **105**

BARNES RC. *See* VETTER KM, **182**

BARTHOLIN'S ABSCESS: The role of *C trachomatis*, **24**

BARTON SE. *See* MOYLE G, **91**

BEAUJEAN G, WILLEMS I: Prevalence of *Chlamydia trachomatis* infection in pregnant women in Zaire (*corr*), **124**

BECK EJ, DONEGAN C, KENNY C, *et al*: An update on HIV-testing at a London Sexually Transmitted Diseases Clinic: long-term impact of the AIDS media campaigns, **142**

BECKER TM. *See* STONE KM, **16**

BELGIUM
- HIV infection, STD's and HIV antibody testing practices in prostitutes, **337**

BERRON S. *See* VAZQUEZ JA, **302, 303**

BERTRAND J. *See* SZAREWSKI A, **205**

BHAT SK. *See* HIRA SK, **159**

BIGNELL CJ. *See* JAYAWEERA DT, **305**

BINDAYNA KM. *See* ISON CA, **351**

BIRD AG: Monitoring of lymphocyte subpopulation changes in the assessment of HIV infection (*Editorial*), **133**

BISHOP PE, MCMILLAN A, FLETCHER S: An immunohistological study of spontaneous regression of condylomata acuminata, **79**

BLEKER OP, SMALBRAAK DJC, SCHUTTE MF: Bartholin's abscess: the role of *Chlamydia trachomatis*, **24**

BOOK REVIEWS
- ADLER MW: *ABC of sexually transmitted diseases* (1990), **464**
- BAKER DA, ed: *Acyclovir therapy for herpesvirus infections* (1990), **128**
- FOWLER JE, with M Lee and AA Caldamone: *Urinary tract infection and inflammation* (1989), **127**
- LAIRD SM: *My life before penicillin* (1988), **127**
- LEOUNG G, MILLS J, eds: *Opportunistic infections in patients with the acquired immunodeficiency syndrome* (1989), **49**
- MEHUIS A, SPIER RE, *eds: Vaccines for sexually transmitted diseases* (1989), **307**
- MINDEL A, ed: *AIDS: a pocket book of diagnosis and management* (1990), **230**
- MINDEL A: *Herpes simplex virus*, **49**
- UEKI H, YAOITA H: *A colour atlas of dermatoimmunohistocytology* (1989), **126**
- WRIGHT DJM, ed: *Immunology of sexually transmitted diseases*, **464**

BOTSWANA
- *N gonorrhoeae*, *T vaginalis*, and yeast reported from attenders at an antenatal clinic in a rural area (*corr*), **460**

BRADDICK MR, NDINYA-ACHOLA JO, MIRZA NB, *et al*: Towards developing a diagnostic algorithm for *Chlamydia trachomatis* and *Neisseria gonorrhoeae* cervicitis in pregnancy, **62**

BRITISH COOPERATIVE CLINICAL GROUP: Survey of human immunodeficiency virus infection and sexually transmitted diseases in homosexual and bisexual men attending genitourinary medicine clinics in the UK during 1986–88, **387**

BRUNAT N. *See* ABDENNADER S, **45**

CANDIDIASIS
- Recurrent vaginal, intermittent postmenstrual prophylaxis with a 500 mg clotrimazole vaginal tablet, **357**

CARNEY O. *See* MINDEL A, **14**

CARRINGTON D. *See* SCOULAR A, **226**

INDEX TO VOLUME 66, 1990

Authors and subjects are indexed together. (When there are four or more authors only the first three are indexed.) Page numbers preceded by (MA) refer to Matters Arising.

ABDENNADER S, CASIN I, BRUNAT N, *et al*: Sexual transmission of *Gardnerella vaginalis* (*corr*), **45**

ABDOOL KARIM SS. *See* COOVADIA YM, **124**

ABRAM R. *See* CLARKE J, **189**

ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS). *See also* HUMAN IMMUNODEFICIENCY VIRUS
- The Genitourinary physician, **2**
- HIV-1 P4 antigenaemia does not predict time of survival, **138**
- Knowledge in a group of young adolescent girls in Leeds, **189**
- Parvovirus infection and anaemia: case report, **95**
- Treatment of CMV retinitis with zidovudine and ganciclovir, **156**

ACYCLOVIR
- Oral, long-term suppression of severe recurrent genital herpes simplex infections: dose-titration study, **101**

ADOLESCENT GIRLS
- Colposcopy (*corr*), **228**
- Sexually active: *C trachomatis*, **66**
- Sexual behaviour and knowledge about AIDS in a group in Leeds, **189**

AFRICA
- South: community-based seroprevalence survey of syphilis in black children (*corr*), **124**
- STD (*Editorial*), **235**

AHMED HJ. *See* ISMAIL SO, **70**

AHMED IH. *See* JAYAWEERA DT, **305**

ALAWATTEGAMA AB. *See* COKER DM, **44**

ALDERETE JF. *See* LEHKER MW, **193**

AL-EGAILY SS. *See* DUNLOP EMC, **227**

ALERGANT C: Lesson of the week, introduced by BA Evans, **272**

AMSTERDAM
- Increase of infectious syphilis among heterosexuals: its relationship to drug use and prostitution, **31**

AN-PING N, CHUN-XIA GU, SHI-TAI LI, *et al*: The prevalence of Chlamydia infection in outpatient clinics in Beijing, China (*corr*), **125**

ANDERSEN LP. *See* KROON S, **101**

ANDERSON-FABRY DISEASE
- Angiokeratoma corporis diffusum universale (clinical vignette), **399**

ANTIBIOTICS. *See also specific antibiotics*
- Changing pattern of resistance of *N gonorrhoeae* (*Editorial*), **55**
- Quality assurance scheme in long-term multicentre study of susceptibility of *N gonorrhoeae*, **8**

ANUS
- Verrucous carcinoma containing HPV type 16 DNA detected by in situ hybridisation: case report, **342**

ARTHRITIS
- Gonococcal, caused by auxotype P in a man with HIV infection, **91**
- Reactive, caused by *Yersinia pseudotuberculosis* (MA), **48**

ARUMAINAYAGAM JT, SUMATHIPALA AHT: Value of performing biopsies in genitourinary clinics (*corr*), **407**

ARUMAINAYAGAM JT, SUMATHIPALA AHT, SMALLMAN LA, *et al*: Flat condylomata of the penis presenting as patchy balanoposthitis, **251**

ARUMAINAYAGAM JT, WHITE DJ, MATTHEWS RS: Longer incubation of an amplified enzyme immunoassay for the detection of *Chlamydia trachomatis* (*corr*), **461**

AUDIT. *See* MEDICAL AUDIT

BAKAYA V. *See* KUMAR B, **105**

BARNES RC. *See* VETTER KM, **182**

BARTHOLIN'S ABSCESS: The role of *C trachomatis*, **24**

BARTON SE. *See* MOYLE G, **91**

BEAUJEAN G, WILLEMS I: Prevalence of *Chlamydia trachomatis* infection in pregnant women in Zaire (*corr*), **124**

BECK EJ, DONEGAN C, KENNY C, *et al*: An update on HIV-testing at a London Sexually Transmitted Diseases Clinic: long-term impact of the AIDS media campaigns, **142**

BECKER TM. *See* STONE KM, **16**

BELGIUM
- HIV infection, STD's and HIV antibody testing practices in prostitutes, **337**

BERRON S. *See* VAZQUEZ JA, **302, 303**

BERTRAND J. *See* SZAREWSKI A, **205**

BHAT SK. *See* HIRA SK, **159**

BIGNELL CJ. *See* JAYAWEERA DT, **305**

BINDAYNA KM. *See* ISON CA, **351**

BIRD AG: Monitoring of lymphocyte subpopulation changes in the assessment of HIV infection (*Editorial*), **133**

BISHOP PE, MCMILLAN A, FLETCHER S: An immunohistological study of spontaneous regression of condylomata acuminata, **79**

BLEKER OP, SMALBRAAK DJC, SCHUTTE MF: Bartholin's abscess: the role of *Chlamydia trachomatis*, **24**

BOOK REVIEWS
- ADLER MW: *ABC of sexually transmitted diseases* (1990), **464**
- BAKER DA, ed: *Acyclovir therapy for herpesvirus infections* (1990), **128**
- FOWLER JE, with M Lee and AA Caldamone: *Urinary tract infection and inflammation* (1989), **127**
- LAIRD SM: *My life before penicillin* (1988), **127**
- LEOUNG G, MILLS J, eds: *Opportunistic infections in patients with the acquired immunodeficiency syndrome* (1989), **49**
- MEHUIS A, SPIER RE, *eds: Vaccines for sexually transmitted diseases* (1989), **307**
- MINDEL A, ed: *AIDS: a pocket book of diagnosis and management* (1990), **230**
- MINDEL A: *Herpes simplex virus*, **49**
- UEKI H, YAOITA H: *A colour atlas of dermatoimmunohistocytology* (1989), **126**
- WRIGHT DJM, ed: *Immunology of sexually transmitted diseases*, **464**

BOTSWANA
- *N gonorrhoeae*, *T vaginalis*, and yeast reported from attenders at an antenatal clinic in a rural area (*corr*), **460**

BRADDICK MR, NDINYA-ACHOLA JO, MIRZA NB, *et al*: Towards developing a diagnostic algorithm for *Chlamydia trachomatis* and *Neisseria gonorrhoeae* cervicitis in pregnancy, **62**

BRITISH COOPERATIVE CLINICAL GROUP: Survey of human immunodeficiency virus infection and sexually transmitted diseases in homosexual and bisexual men attending genitourinary medicine clinics in the UK during 1986–88, **387**

BRUNAT N. *See* ABDENNADER S, **45**

CANDIDIASIS
- Recurrent vaginal, intermittent postmenstrual prophylaxis with a 500 mg clotrimazole vaginal tablet, **357**

CARNEY O. *See* MINDEL A, **14**

CARRINGTON D. *See* SCOULAR A, **226**

CASIN I. *See* ABDENNADER S, **45**
CEPHALOSPORIN
And penicillin resistance in gonococci, **351**
CERVICAL CANCER
Genital papillomaviruses and polymerase chain reaction, (*Editorial*), **415**
CERVICAL CYTOLOGY
Concurrent chlamydia sampling: use of the Cytobrush, **205**
Diagnosis of genital herpes (MA), **47, 306**
CERVICAL INTRAEPITHELIAL NEOPLASIA
Colposcopy in teenagers (*corr*), **228**
Preliminary evaluation of cold coagulation (*corr*), **44**
CERVICITIS
Associated with *C trachomatis* and *N gonorrhoeae*: diagnostic algorithm, **62**
CERVIX UTERI
C trachomatis infections: screening in two Dutch populations, **361**
Granuloma inguinale: a carcinoma look-alike, **380**
Is a test of cure necessary following treatment for infection with *C trachomatis*? **444**
CHANCROID
Four different treatment regimens, **105**
CHANG F, KOSUNEN O, KOSMA V-M, *et al*: Verrucous carcinoma of the anus containing human papillomavirus type 16 detected by in situ hybridisation: a case report, **342**
CHATTOPADHYAY B, HONEYCOMBE J: Detection of *Chlamydia trachomatis* in semen samples, **407**
CHIKAMATA DM. *See* HIRA SK, **159**
CHINA
Prevalence of chlamydia infection in outpatient clinics in Beijing (*corr*), **125**
CHLAMYDIA
Seroepidemiology in Costa Rica, **182**
CHLAMYDIA TRACHOMATIS. *See also* CHLAMYDIAL INFECTION
Among sexually active teenage girls: influence of sampling location and clinical signs on the detection rates, **66**
And *N gonorrhoeae* cervicitis in pregnancy: diagnostic algorithm, **62**
Comparison of cytobrush and cotton swab sampling for detection by cell culture, **267**
Detection in semen samples (*corr*), **407**
Detection: longer incubation of an amplified enzymne immunoassay (*corr*), **461**
Role in Bartholin's abscess, **24**
Sampling and concurrent endocervical cytology using the Cytobrush, **205**
CHLAMYDIAL INFECTION
Cervical: screening in two Dutch populations, **361**
Cervical infection, is a test of cure necessary following treatment? **444**
Gastrointestinal obstruction, **26**, (MA) **408**
Genital, in a Somali village, **70**
Prevalence in outpatient clinics in Beijing, China (*corr*), **125**
Prevalence in pregnant women in Zaire (*corr*), **124**
CHRISTOFINIS G. *See* HUNT AJ, **423**
CHUN-XIA GU. *See* AN-PING NI, **125**
CIPROFLOXACIN
Resistant *N gonorrhoeae* in the UK (*corr*), **43**
CLARK S. *See* MULHALL BP, **5**
CLARKE J, ABRAM R, MONTEIRO EF: The sexual behaviour and knowledge about AIDS in a group of young adolescent girls in Leeds, **189**
CLARKE JR. *See* HAY PE, **428**
CLOTRIMAZOLE
Intermittent postmenstrual prophylaxis of recurrent vaginal candidiasis with a 500 mg vaginal tablet, **357**
COELHO DC. *See* SIVAKUMAR K, **270**
COETZEE K. *See* O'FARRELL N, **200**
COKER DM: *Yersinia pseudotuberculosis* infection as a cause of reactive arthritis as seen in a genitourinary clinic (MA), **48**
COKER DM, STANLEY B: Genital herpes diagnosed by cervical cytology (MA), **306**
COKER DM, STANLEY B: Genito-urinary medicine in rural areas in England (*corr*), **125**
COKER DM, WILLIAMS O, ALAWATTEGAMA AB: Preliminary evaluation of cold coagulation as a treatment for cervical intraepithelial neoplasia in a department of genitourinary medicine (*corr*), **44**
COLD COAGULATION
Preliminary evaluation in cervical intraepithelial neoplasia (*corr*), **44**
COLLINGHAM K. *See* DESSELBERGER U, **313**
COLPOSCOPY
Choosing equipment, **297**
In teenagers (*corr*), **228**
CONDOMS
Factors influencing use in a sample of homosexually active men, **346**
CONDYLOMATA ACUMINATA
External: randomised clinical trial comparing podophyllin, cryotherapy, and electrodesiccation, **16**, (MA) **305**
Flat, of the penis presenting as patchy balanoposthitis, **251**
Immunohistological study of spontaneous regression, **79**
Intrameatal penile: detection of HPV DNA in semen (MA), **229**
Need for screening (MA), **228, 305**
Penile, in a child: case report (*corr*), **226**
Topical idoxuridine for treatment in males, **254**
CONNOLLY GM, GAZZARD BG, HAWKINS DA: Fixed drug eruption due to foscarnet, **97**
COOVADIA YM, ABDOOL KARIM SS: A community-based seroprevalence survey of syphilis in black children (*corr*), **124**
Corrections **137, 409**
COSTA RICA
Seroepidemiology of chlamydia, **182**
COUTINHO RA. *See* van den HOEK JAR, **31**
COXON APM. *See* HUNG AJ, **423**
CRAWSHAW SC, HARAN MV: Genital warts and the need for screening (MA), **228**
CREMER AWF: The choice of microscopes for use in genitourinary medicine clinics, **222**
CRYOTHERAPY
Treatment of external genital warts, **16**
CUZICK J. *See* SZAREWSKI A, **439**
CYMALON
In management of urinary tract symptoms (*corr*), **461**
CYTOBRUSH
Concurrent endocervical cytology and chlamydia sampling, **205**
CYTOLOGY
Comparison of four sampling techniques in a genitourinary medicine clinic, **439**
CYTOMEGALOVIRUS (CMV)
Retinitis: home treatment with intravenous ganciclovir (*corr*), **460**
Retinitis in AIDS patients treated with zidovudine and ganciclovir, **156**
DANIELSSON D. *See* KAMWENDO F, **324**
DAVIS J. *See* FRENCH PD, **302, 304**
DAWSON J. *See* FITZPATRICK R, **346**
DE K, ESSEX-CATER AJ: Gastrointestinal obstruction associated with *Chlamydia trachomatis* (MA), **408**
DERMATITIS HERPETIFORMIS
Causing recurrent genital ulceration, **270**

DE SILVA AH. *See* SIVAKUMAR K, **228**
DESSELBERGER U, COLLINGHAM K: Molecular techniques in the diagnosis of human infectious diseases (*Review*), **313**
DONEGAN C. *See* BECK EJ, **142**
DOPPENBERG HJAT. *See* THEWESSEN EAPM, **361**
DOXYCYCLINE
Vs placebo in postgonococcal urethritis: double-blind study, **20**, (MA) **408**
DRAKE SM. *See* THANGKHIEW I, **305**
DRAPER G. *See* HOOSEN AA, **380**
DUNLOP EMC, EL-EGAILY SS, HOUANG ET: Penicillin concentrations in CSF during repository treatment for syphilis (*corr*), **227**
DUTHIE SJ. *See* KING PA, **257**
DYSPAREUNIA
Localised, and focal vulvitis, **28**, (MA) **463**

EASMON CSF: The changing pattern of antibiotic resistance of *Neisseria gonorrhoeae* (*Editorial*), **55**
EGGLESTONE SI, KAM KM, LAI CF: Decreased in vitro antibiotic susceptibility of *N gonorrhoeae* isolates in Hong Kong (MA), **462**
ELECTRODESSICATION
Treatment of external genital warts, **16**
ENGELKENS HJH, GINAI AZ, JUDANARSO J, *et al*: Radiological and dermatological findings in two patients suffering from early yaws in Indonesia, **259**
ENGELKENS HJH, KANT M, ONVLEE PC, *et al*: Rapid in vitro immobilisation of purified *Treponema pallidum* (Nichols strain), and protection by extraction fluids from rabbit testes, **367**
ENGELKENS HJH, VUZEVSKI VD, JUDANARSO J, *et al*: Early yaws: a light microscopic study, **264**
ERYTHROMYCIN
In chancroid, **105**
ESSEX-CATER AJ. *See* DE K, **408**
ESTREICH S, FORSTER GE, ROBINSON A: Sexually transmitted diseases in rape victims, **433**
EVANS BA: Introduction to "*Lesson of the week*" by Cecil Alergant, **272**
EVANS BA. *See also* MCLEAN KA, **20**; RADCLIFFE KW, **399**

FIELDHOUSE S. *See* MULHALL BP, **5**
FITZPATRICK R, MCLEAN J, DAWSON J, *et al*: Factors influencing condom use in a sample of homosexually active men, **346**
FIXED DRUG ERUPTION
due to Foscarnet, **97**
FLETCHER S. *See* BISHOP PE, **79**
FORSEY P. *See* WELCH J, **460**
FORSLIN L. *See* KAMWENDO F, **324**
FORSSMAN L. *See* ROTH AC, **357**
FORSTER GE. *See* ESTREICH S, **433**
FOSCARNET
Fixed drug eruption: case report, **97**
FRENCH PD, DAVIS J, GOLDMEIER D: Syphilis among heterosexuals (*corr*), **304**
FRENCH PD, DAVIS J, GOLDMEIER D, *et al*: Trends in gonococcal infection: no room for complacency (*corr*), **302**

GANCICLOVIR
And zidovudine in treatment of CMV retinitis in AIDS: outcome and toxicity, **156**
Intravenous for home treatment of CMV retinitis (*corr*), **460**
GARDNERELLA VAGINALIS
Sexual transmission (*corr*), **45**
GASTROINTESTINAL OBSTRUCTION
Associated with *C trachomatis*, **26**, (MA) **408**
GAZZARD BG. *See* CONNOLLY GM, **97**
GENITAL INFECTIONS
In women attending a genito-urinary clinic in Harare, Zimbabwe, **178**
Recurrent: a result of immunosuppression? (MA), **409**
GENITAL ULCERS
Holey prepuce (MA), **48**
Male, in Paris (France): absence of correlation between clinical aspect and microbiological data (*corr*), **43**
Recurrent: a case of dermatitis herpetiformis, **270**
Scrotal, in HIV-positive patients: case reports, **93**
GENITAL WARTS. *See* CONDYLOMATA ACUMINATA
Genitourinary Medicine: Changes (*Editorial*), **1**
GENITOURINARY MEDICINE
In rural areas in England (*corr*), **125**
GENITOURINARY MEDICINE CLINICS
Choice of microscopes, **222**
Choosing equipment for colposcopy, **297**
Comparison of four cytological sampling techniques, **439**
Genital infections in women attending a clinic in Harare, Zimbabwe, **178**
HIV infection in patients attending in England and Wales, 1988, **57**
Planning and design, **393**
Services; consumers' views, **108**
Survey of HIV infection and STD in homosexual and bisexual men in the UK during 1986–88, **387**
Update on HIV-testing at a London clinic: long-term impact of the AIDS media campaigns, **142**
Value of performing biopsies (*corr*), **407**
Workload in England (*corr*), **304**
GENITOURINARY PHYSICIANS and AIDS, **2**
GILL MJ. *See* ISON CA, **82**
GINAI AZ. *See* ENGELKENS HJH, **259**
GIULIANI M. *See* GRECO D, **383**
GLASGOW, SCOTLAND
Changing trends in genital herpes due to HSV type 1, 1985–88 (*corr*), **226**
GLASSON JH. *See* SMITH ER, **409**
GNARPE H. *See* RAHM VA, **66**
GODLEY MJ: MSSVD. Report of the Honorary Secretary to the 69th Annual General Meeting . . . 1990, **464**
GOLDMEIER D. *See* FRENCH PD, **302**, **304**; HILLMAN RJ, **93**
GOMBOSOVA A, VALENT M: Dot-immunobinding assay with monoclonal antibody for detection of *Trichomonas vaginalis* in clinical specimens, **447**
GONOCOCCAL INFECTION
Arthritis caused by auxotype P in a man with HIV infection, **91**
Trends: no room for complacency (*corr*), **302**
GONORRHOEA
Declining rates in The Netherlands, 1976–88: consequences for the AIDS epidemic, **148**
Diagnostic methods (*Review*), **453**
Epidemiology and aetiology of acute non-tuberculous salpingitis, **324**
In a Somali village, **70**
GOORNEY BP, LACEY H, THURAIRAJASINGAM S, *et al*: Avascular necrosis of the hip in a man with HIV infection, **451**
GOUDSMIT J. *See* MULDER JW, **138**
GRAHAM EM. *See* WELCH J, **460**
GRANULOMA INGUINALE
Cervix: a carcinoma look-alike, **380**
Rapid stain for diagnosis, **200**
GRECO D, GIULIANI M, SULIGOI B, *et al*: Sexually transmitted diseases in Italy: clinical returns versus statutory notifications, **383**
GRIFFITHS M: Detection of human papillomavirus DNA in

semen from patients with intrameatal penile warts (MA), **229**
GRIFFITHS M: Syphilis in art (MA), **462**
GUPTA POC, OWEN DS: Outpatient treatment of syphilis with penicillins (*corr*), **408**
GUPTA R. *See* KUMAR B, **226**
GWANZURA L. *See* MASON PR, **178**

HADGU A. *See* STONE KM, **16**
HAJI TC. *See* TURNER A, **43**
HAPPONEN H-P, LASSUS A, SANTALAHTI J, *et al*: Topical idoxuridine for treatment of genital warts in males. A double-blind comparative study of 0·25% and 0·5% cream, **254**
HARAN MV. *See* CRAWSHAW SC, **228**
HARE MJ: Choosing equipment for colposcopy in genitourinary medicine, **297**
HAWKINS DA. *See* CONNOLLY GM, **97**
HAY PE, CLARKE JR, TAYLOR-ROBINSON D, *et al*: Detection of treponemas DNA in the CSF of patients with syphilis and HIV infection using the polymerase chain reaction, **428**
HAY PE, TAM RWK, KITCHEN VS, *et al*: Gummatous lesions in men infected with human immunodeficiency virus and syphilis, **374**
HAYE KR. *See* NADARAJAH R, **463**
HERPES GENITALIS
Associated cutaneous infections, **14**
Diagnosed by cervical cytology (MA) **47**, **306**
Due to HSV type 1 in Glasgow, 1985–88 (*corr*), **226**
Labial adhesions (MA), **48**
Severe recurrent, long-term suppression with oral acyclovir: dose-titration study, **101**
Type 2, and other genital ulcerative infections as a risk factor for HIV-1 acquisition, **330**
HILLMAN RJ, GOLDMEIER D, TAYLOR-ROBINSON D: Scrotal ulceration in HIV-positive patients, **93**
HILLMAN RJ, TOMLINSON D, MCMILLAN A, *et al*: Sexual assault of men: a series, **247**
HIP
Avascular necrosis in a man with HIV infection, **451**
HIRA SK, BHAT GJ, CHIKAMATA DM, *et al*: Syphilis intervention in pregnancy: Zambian demonstration project, **159**
HOMOSEXUAL MEN
Active, sample: factors influencing condom use, **346**
And bisexual men attending genitourinary medicine clinics in the UK during 1986–88: survey of HIV infection, **387**
Anti-sperm antibodies: prevalence and correlation with sexual behaviour, **5**
Natural history of HIV infection in a London cohort, **238**
Seroprevalence of HIV-1 infection in a cohort, **423**
HONG KONG
Decreased in vitro antibiotic susceptibility of *N gonorrhoeae* isolates (MA), **462**
STD amongst pregnant Vietnamese refugees, **257**
HONEYCOMBE J. *See* CHATTOPADHYAY B, **407**
HOOSEN AA, DRAPER G, MOODLEY J, *et al*: Granuloma inguinale of the cervix: a carcinoma look-alike, **380**
HOOSEN AA. *See also* O'FARRELL N, **200**
HOUANG ET. *See* DUNLOP EMC, **227**
HUMAN IMMUNODEFICIENCY VIRUS. *See also* ACQUIRED IMMUNE DEFICIENCY SYNDROME
And STD: prevalence in outpatients in Lilongwe, Malawi, **244**
And STD: survey in homosexual and bisexual men attending genitourinary medicine clinics in the UK during 1986–88, **387**
And syphilis: detection of treponemas DNA in the CSF of infected patients using the polymerase chain reaction, **428**
And syphilis, gummatous lesions in infected men, **374**
Avascular necrosis of the hip in an infected man, **451**
Failure to maintain high-dose treatment regimens during long-term use of zidovudine in patients with symptomatic type 1 infection, **418**
Gonococcal arthritis caused by auxotype P in an infected man, **91**
HSV type 2 and other genital ulcerative infections as a risk factor for acquisition, **330**
Infection in patients attending STD clinics in England and Wales 1988, **57**
Infection: monitoring of lymphocyte subpopulation changes (*Editorial review*), **133**
Infection: seroprevalence in a cohort of homosexually active men, **423**
Infection, STD and HIV-antibody testing practices in Belgian prostitutes, **337**
Natural history: five year study in a London cohort of homosexual men, **238**
Scrotal ulceration, **93**
Update on testing at a London STD clinic: long-term impact of the AIDS media campaigns, **142**
HUMAN PAPILLOMAVIRUS (HPV)
Detection of DNA in semen from patients with intrameatal penile warts (MA), **229**
Polymerase chain reaction and cervical cancer (*Editorial*), **415**
Type 16 DNA detected by in situ hybridisation contained in verrucous carcinoma of anus: case report, **342**
HUNT AJ, CHRISTOFINIS G, COXON APM *et al*: Seroprevalence of HIV-1 infection in a cohort of homosexually active men, **423**
HUTCHINSON, Jonathan 1828–1913, **401**

IDOXURIDINE
Topical, for treatment of genital warts in males, **254**
INDONESIA
Radiological and dermatological findings in two patients suffering from early yaws, **259**
INTERNATIONAL UNION AGAINST THE VENEREAL DISEASES AND THE TREPONEMATOSES
Bulletin, **41**
INTRAUTERINE CONTRACEPTIVE DEVICE
Epidemiology and aetiology of acute non-tuberculous salpingitis, **324**
ISMAIL SO, AHMED HJ, JAMA MA, *et al*: Syphilis, gonorrhoea and genital chlamydial infection in a Somali village, **70**
ISON CA: Methods of diagnosing gonorrhoea (*Review*), **453**
ISON CA, BINDAYNA KM, WOODFORD N, *et al*: Penicillin and cephalosporin resistance in gonococci, **351**
ISON CA, GILL MJ, WOODFORD N: Transfer of beta-lactamase plasmids by conjugation in *Neisseria gonorrhoeae*, **82**
ITALY
STD: clinical returns versus statutory notifications, **383**

JAMA MA. *See* ISMAIL SO, **70**
JAMAICA
Biological false positive serological tests for syphilis, **76**
JAMES OB'L. *See* SMIKLE MF, **76**
JANIER M, RAMEL F, LAJOIE C, *et al*: Male genital ulcerations in Paris (France): Absence of correlation between clinical aspect and microbiological data (*corr*), **43**
JAYAWEERA DT, AHMED IH, BIGNELL CJ, *et al*: Genital warts and the need for screening (MA), **305**
JEPHCOTT AE. *See* TURNER A, **43**
JOBSIS GJ. *See* VAN LEEUWEN R, **418**
JOHANNESSEN G. *See* SHELLER JP, **460**
JUDANARSO J. *See* ENGELKENS HJH, **259**, **264**

KAM KM. *See* EGGLESTONE SI, **462**
KAMWENDO F, FORSLIN L, DANIELSSON D: Epidemiology and aetiology of acute non-tuberculous salpingitis. A comparison between the early 1970s and the early 1980s with special reference to gonorrhoea and use of intrauterine contraceptive device, **324**
KANT M. *See* ENGELKENS HJH, **367**; van der SLUIS JJ, **165**
KEET IPM, LEE FK, VAN GRIENSVEN GJP, *et al*: Herpes simplex virus Type 2 and other genital ulcerative infections as a risk factor for HIV-1 acquisition, **330**
KELLY GE, STANLEY BS, WELLER IVD: The natural history of human immunodeficiency virus infection: a five year study in a London cohort of homosexual men, **238**
KENNY C. *See* BECK EJ, **142**
KING PA, DUTHIE SJ, MA HK: Sexually transmitted diseases amongst pregnant Vietnamese refugees in Hong Kong, **257**
KINGHORN GR: The genitourinary physician and AIDS, **2**
KITCHEN VS. *See* HAY PE, **374**
KOSMA V-M. *See* CHANG F, **342**
KOSUNEN O. *See* CHANG F, **342**
KRIJNEN P. *See* MULDER JW, **138**
KRISTENSEN K: The prevalence of symptomatic sexually transmitted diseases and human immunodeficiency virus infection in outpatients in Lilongwe, Malawi, **244**
KROON S, PETERSEN CS, ANDERSEN LP, *et al*: Long-term suppression of severe recurrent genital herpes simplex infections with oral acyclovir: a dose-titration study, **101**
KUMAR B, GUPTA R, SHARMA SC: Penile condylomata acuminata in a male child: a case report (*corr*), **226**
KUMAR B, SHARMA VK, BAKAYA V: Sulphaphenazole, streptomycin and sulphaphenazole combination, trimethroprim, and erythromycin in the treatment of chancroid, **105**

LABIAL ADHESIONS
After genital herpes infection (MA), **48**
LACEY H. *See* GOORNEY BP, **451**
LAI CF. *See* EGGLESTONE SI, **462**
LAJOIE C. *See* JANIER M, **43**
LAMB J. *See* THIN RNT, **393**
LASSUS A. *See* HAPPONEN H-P, **254**
LATIF AS: Sexually transmitted diseases in Africa (*Editorial*), **235**
LATIF AS. *See also* MASON PR, **178**
LEASK BGS. *See* SCOULAR A, **226**
LEE ES, LEE MG, LEE JB: Tumourous syphilid, **202**
LEE FK. *See* KEET IPM, **330**
LEE JB. *See* LEE ES, **202**
LEE MG. *See* LEE ES, **202**
LEEDS, UK
Sexual behaviour and knowledge about AIDS in a group of young adolescent girls, **189**
LEES MI, NEWNAN DM, PLACKETT M, *et al*: A comparison of cytobrush and cotton swab sampling for the detection of *Chlamydia trachomatis* by cell culture, **267**
LEHKER MW, ALDERETE JF: Properties of *Trichomonas vaginalis* grown under chemostat controlled growth conditions, **193**
LIM JMH. *See* MCLEAN KA, **20**
LONDON
Natural history of HIV infections: five year study in a cohort of homosexual men, **238**
Update on HIV-testing at an STD clinic, **142**
LOZANO MC. *See* PALOMARES JC, **87**

MA HK. *See* KING PA, **257**
MCLEAN J. *See* FITZPATRICK R, **346**
MCLEAN KA, EVANS BA, LIM JMH, *et al*: Postgonococcal urethritis: a double-blind study of doxycycline vs placebo, **20**
MCMILLAN A. *See* BISHOP PE. **79**; HILLMAN RJ, **247**
MAK R, PLUM J, VAN RENTERGHEM L: Human immunodeficiency virus infection, sexually transmitted diseases and HIV-antibody testing practices in Belgian prostitutes, **337**
MALAWI
Prevalence of symptomatic STD and HIV infection in outpatients in Lilongwe, **244**
MALAYSIA
Prevalence of STD among prostitutes, **334**
MANDAL D: Post-gonococcal urethritis: a double blind study of doxycycline (MA), **408**
MASON PR, GWANZURA L, LATIF AS, *et al*: Genital infections in women attending a genito-urinary clinic in Harare, Zimbabwe, **178**
MATTHEWS RS. *See* ARUMAINAYAGAM JT, **461**
MEDICAL AUDIT
In the UK (*corr*), **45**
MEDICAL SOCIETY FOR THE STUDY OF VENEREAL DISEASES (MSSVD)
Secretary's report to the 69th AGM, **464**
Undergraduate prize—regulations, **463**
MENENDEZ B. *See* VAZQUEZ JA, **303**
MERCEY DE: Medical audit in the UK (*corr*), **45**
MERCEY DE. *See also* RADCLIFFE KW, **444**
MICROSCOPES
For use in genitourinary medicine clinics, **222**
MIDGLEY J. *See* MOYLE G, **91**
MILLAR AB, MILLER RF, PATOU G, *et al*: Treatment of cytomegalovirus retinitis with zidovudine and ganciclovir in patients with AIDS, **156**
MILLER RF. *See* MILLAR AB, **156**
MILSOM I. *See* ROTH AC, **357**
MINDEL A: Changes in *Genitourinary Medicine* (*Editorial*), **1**
MINDEL A, CARNEY O, WILLIAMS P: Cutaneous herpes simplex infections, **14**
MIRZA NB. *See* BRADDICK MR, **62**
MITCHELL SA, WELCH JM, WESTON-SMITH S, *et al*: Parvovirus infection and anaemia in a patient with AIDS: a case report, **95**
MOLECULAR BIOLOGY
Of STD: Symposium, **295**
Techniques in the diagnosis of human infectious diseases, **313**
MONTEIRO EF. *See* CLARKE J, **189**
MOODLEY J. *See* HOOSEN AA, **380**
MORTON RS: Syphilis in art: an entertainment in four parts. Part 1, **33**; Part 2, **112**; Part 3, **208**; Part 4, **280**
MOYLE G, BARTON SE, MIDGLEY J, *et al*: Gonococcal arthritis caused by auxotype P in a man with HIV infection, **91**
MULDER JW, KRIJNEN P, GOUDSMIT J, *et al*: HIV-1 P24 antigenaemia does not predict time of survival in AIDS patients, **138**
MULHALL BP, FIELDHOUSE S, CLARK S, *et al*: Anti-sperm antibodies in homosexual men: prevalence and correlation with sexual behaviour, **5**
MUNDAY PE: Genitourinary medicine services; consumers' views, **108**
MUNDAY PE, SAVAGE S: Cymalon in the management of urinary tract symptoms (*corr*), **461**
MYINT S: Symposium on molecular biology of sexually transmitted diseases, **295**

NADARAJAH R, HAYE KR: Focal vulvitis and localised dyspareunia (MA), **463**
NAYAGAM M. *See* SZAREWSKI A, **439**
NDINYA-ACHOLA JO. *See* BRADDICK MR, **62**
NEISSERIA GONORRHOEAE
And *C trachomatis* cervicitis in pregnancy: diagnostic algorithm, **62**
Antibiotic resistance, plasmid profile, auxotypes and serovars of strains isolated in Sevilla, Spain, **87**
Changing pattern of antibiotic resistance (*Editorial*), **55**

Ciprofloxacin resistant, in the UK (*corr*), **43**
Decreased in vitro antibiotic susceptibility of isolates in Hong Kong (MA), **462**
In attenders at an antenatal clinic in a rural area in Botswana (*corr*), **460**
Isolate resistant to tetracycline in Spain (*corr*), **303**
Lectins agglutination test as an epidemiological marker (*corr*), **302**
Penicillin and cephalosporin resistance, **351**
Quality assurance scheme in a long-term multicentric study of antibiotic susceptibility, **8**
Transfer of beta-lactamase plasmids by conjugation, **82**
NEISSERIA MENINGITIDIS
Genital infections (MA), **305**
NETHERLANDS
Declining gonorrhoea rates, 1976–88: consequences for the AIDS epidemic, **148**
Screening for cervical *C trachomatis* infections in two populations, **361**
NEWMAN DM. *See* LEES MI, **267**
NG SK. *See* THAM SN, **99**
NGEOW YF. *See* RAMACHANDRAN S, **334**

OATES JK: Focal vulvitis and localised dyspareunia, **28**
OATES JK, ROWEN D: Desquamative inflammatory vaginitis. A review, **275**
OBERLE MW. *See* VETTER KM, **182**
OBLIND V. *See* RAHM VA, **66**
O'FARRELL N: Holey prepuce following genital ulceration (MA), **48**
O'FARRELL N, HOOSEN AA, COETZEE K, *et al*: A rapid stain for the diagnosis of granuloma inguinale, **200**
OLSEN T. *See* SHELLER JP, **460**
O'MAHONY C, TIMMINS DJ: Workload in genitourinary medicine clinics in England (*corr*), **304**
ONVLEE PC. *See* ENGLELKENS HJH, **367**, van der SLUIS JJ, **165**
ORIEL JD: Eminent venereologists 4: Jonathan Hutchinson, **401**
OWEN AWMC. *See* PEGG DJ, **26**
OWEN DS. *See* GUPTA PC, **408**

PALOMARES JC, LOZANO MC, PEREA EJ: Antibiotic resistance, plasmid profile, auxotypes and serovars of *Neisseria gonorrhoeae* strains isolated in Sevilla (Spain), **87**
PAPILLOMAVIRUS. *See* HUMAN PAPILLOMAVIRUS
PARIS, FRANCE
Male genital ulcerations: absence of correlation between clinical aspect and microbiological data (*corr*), **43**
PARVOVIRUS INFECTION
And anaemia in AIDS: case report, **95**
PATOU G. *See* MILLAR AB, **156**
PEGG DJ, OWEN AWMC: Gastrointestinal obstruction associated with *Chlamydia trachomatis*, **26**
PENICILLIN
And cephalosporin resistance in gonococci, **351**
CSF concentrations during repository treatment for syphilis (*corr*), **227**
Outpatient treatment of syphilis (*corr*), **408**
PENIS
Condylomata acuminata in a child: case report (*corr*), **226**
Detection of HPV DNA in semen from patients with intrameatal warts (MA), **229**
Flat condylomata presenting as patchy balanoposthitis, **251**
Holey prepuce following genital ulceration (MA), **48**
PEREA EJ. *See* PALOMARES JC, **87**
PETERSEN CS. *See* KROON S, **101**
PICKERING J. *See* van de LAAR MJW, **148**
PLACKETT M. *See* LEES MI, **267**
PLUM J. *See* MAK R, **337**
PODOPHYLLIN
Treatment of external genital warts, **16**
POLAKOFF S: HIV infection in patients attending clinics for sexually transmitted diseases in England and Wales (*Collaborative study*), **57**
POLYMERASE CHAIN REACTION
Detection of treponemas DNA in the CSF of patients with syphilis and HIV infection, **428**
Genital papillomaviruses and cervical cancer (*Editorial*), **415**
POMPEY A. *See* SZAREWSKI A, **205**
PRABHAKAR P. *See* SMIKLE MF, **76**
PREGNANCY
C trachomatis infection in Zaire (*corr*), **124**
Diagnostic algorithm for *C trachomatis* and *N gonorrhoeae* cervicitis, **62**
N gonorrhoeae, *T vaginalis*, and yeast reported from attenders at an antenatal clinic in a rural area in Botswana (*corr*), **460**
STD amongst Vietnamese refugees in Hong Kong, **257**
Syphilis intervention: Zambian demonstration project, **159**
PROSTITUTES
Belgian: HIV infection, STD and HIV-antibody testing practices, **337**
Increase of infectious syphilis among heterosexuals in Amsterdam, **31**
Prevalence of STD in Malaysia, **334**
PUBLIC HEALTH LABORATORY SERVICE. *See* POLAKOFF S, **57**

RADCLIFFE KW, EVANS BA: Anderson-Fabry disease (Angiokeratoma corporis diffusum universale), **399**
RADCLIFFE KW, ROWEN D, MERCEY DE, *et al*: Is a test of cure necessary following treatment for cervical infection with *Chlamydia trachomatis*? **444**
RAHM VA, ODLIND V, GNARPE H: *Chlamydia trachomatis* among sexually active teenage girls: influence of sampling location and clinical signs on the detection rate, **66**
RAMACHANDRAN S, NGEOW YF: The prevalence of sexually transmitted diseases among prostitutes in Malaysia, **334**
RAMEL F. *See* JANIER M, **43**
RAPE VICTIMS
Sexually transmitted diseases, **433**
RETINITIS
Caused by cytomegalovirus in AIDS patients: treatment with zidovudine and ganciclovir, **156**
ROBINSON A. *See* ESTREICH S, **433**
ROTH AC, MILSOM I, FORSSMAN L, *et al*: Intermittent prophylactic treatment of recurrent vaginal candidiasis by postmenstrual application of a 500 mg clotrimazole vaginal tablet, **357**
ROWAN D. *See* OATES JK, **275**; RADCLIFFE KW, **444**
ROY RB. *See* SIVAKUMAR K, **228**, **270**

SALPINGITIS
Acute, non-tuberculous, epidemiology and aetiology, **324**
SANKAR K: Treatment of external genital warts (MA), **305**
SANTALAHTI J. *See* HAPPONEN H-P, **254**
SAVAGE S. *See* MUNDAY PE, **461**
SCHUTTE MF. *See* BLEKER OP, **24**
SCOULAR A, LEASK BGS, CARRINGTON D: Changing trends in genital herpes due to Herpes simplex virus type 1 in Glasgow, 1985–88 (*corr*), **226**
SCROTUM
Ulceration in HIV-positive patients: case reports, **93**
SEMEN SAMPLES
Detection of *C trachomatis* (*corr*), **407**
SEXUAL ASSAULT
Of men: a series, **247**

SEXUAL BEHAVIOUR
And knowledge about AIDS in a group of young adolescent girls in Leeds, **189**
SEXUALLY TRANSMITTED DISEASES
Amongst pregnant Vietnamese refugees in Hong Kong, **257**
And HIV infection, survey in homosexual and bisexual men attending clinics in the UK during 1986–88, **387**
HIV infection and HIV-antibody testing practices in Belgian prostitutes, **337**
In Africa (*Editorial*), **235**
In Italy: clinical return versus statutory notifications, **383**
In rape victims, **433**
Prevalence among prostitutes in Malaysia, **334**
Reviews of molecular biology, **313**
Symposium on molecular biology, **295**
Symptomatic, prevalence in outpatients in Lilongwe, Malawi, **244**
SHARMA SC. *See* KUMAR B, **226**
SHARMA VK. *See* KUMAR B, **105**
SHELLER JP, JOHANNESSEN G, OLSEN T, *et al*: *Neisseria gonorrhoeae*, *Trichomonas vaginalis*, and yeast reported from attenders at an antenatal clinic in a rural area in Botswana (*corr*), **460**
SHI-TAI LI. *See* AN-PING NI, **125**
SIVAKUMAR K, COELHO DC, ROY RB: Recurrent genital ulceration: a case of dermatitis herpetiformis, **270**
SIVAKUMAR K, DE SILVA AH, ROY RB: Colposcopy in teenagers (*corr*), **228**
SKIN LESIONS
Herpes simplex infections, **14**
SMALBRAAK DJC. *See* BLEKER OP, **24**
SMALLMAN LA. *See* ARUMAINAYAGAM JT, **251**
SMIKLE MF, JAMES O'BL, PRABHAKAR P: Biological false positive serological tests for syphilis in the Jamaican population, **76**
SMITH ER, GLASSON JH, WOODS WH: Recurrent genital tract infections: a result of induced immunosuppression? (MA), **409**
SOMALIA
Syphilis, gonorrhoea and genital chlamydial infection in a village, Jambaluul, **70**
SPAIN
Antibiotic resistance, plasmid profile, auxotypes and serovars of *N gonorrhoeae* strains isolated in Sevilla, **87**
Isolate of TET M-containing *N gonorrhoeae* (*corr*), **303**
SPERMATOZOA
Anti-sperm antibodies in homosexual men: prevalence and correlation with sexual behavior, **5**
STACK WC: Genital herpes diagnosed by cervical cytology (MA), **47**
STANLEY B. *See* COKER DM, **125**, **306**
STANLEY BS. *See* KELLY GE, **238**
STANLEY M: Genital papillomaviruses, polymerase chain reaction and cervical cancer (*Editorial*), **415**
STONE KM, BECKER TM, HADGU A, *et al*: Treatment of external genital warts: a randomised clinical trial comparing podophyllin, cryotherapy, and electrodessication, **16**
STREPTOMYCIN
And sulphaphenazole combination in chancroid, **105**
SULIGOI B. *See* GRECO D, **383**
SULPHAPHENAZOLE
Alone or in combination with streptomycin in chancroid, **105**
SUMATHIPALA AHT. *See* ARUMAINAYAGAM JT, **251**, **407**
SUZUKI T. *See* TANAKA S, **171**
SYPHILIS
Among heterosexuals (*corr*), **304**
And HIV: detection of treponemas DNA in the CSF of infected patients using the polymerase chain reaction, **428**
And HIV, gummatous lesions in infected men, **374**
Anti-*Treponema pallidum* IgM, IgA, and IgG subclass antibody responses after treatment in patients at various stages: 1. Assessments by ELISA, **171**
Biological false positive serological tests in the Jamaican population, **76**
Community-based seroprevalence survey in black children (*corr*), **124**
In art, **33**, **112**, **208**, **280** (MA) **462**
In a Somali village, **70**
Infectious, increase among heterosexuals in Amsterdam: its relationship to drug use and prostitution, **31**
Intervention in pregnancy: Zambian demonstration project, **159**
Outpatient treatment with penicillins (*corr*), **408**
Penicillin concentrations in CSF during repository treatment (*corr*), **227**
Secondary, with framboesiform lesions: case report, **99**
Tumorous syphilid: case report, **202**
SZAREWSKI A, CUZICK J, NAYAGAM M, *et al*: A comparison of four cytological sampling techniques in a genitourinary medicine clinic, **439**
SZAREWSKI A, POMPEY A, BERTRAND J, *et al*: Use of the Cytobrush for concurrent endocervical cytology and chlamydia sampling, **205**

TAM FWK. *See* HAY PE, **374**
TANAKA S, SUZUKI T: Anti-*Treponema pallidum* IgM, IgA, and IgG subclass antibody responses after treatment in patients with syphilis at various stages: 1. Assessment by enzyme-linked immunosorbent assay, **171**
TAPSALL JW: Use of a quality assurance scheme in a long-term multicentric study of antibiotic susceptibility of *Neisseria gonorrhoeae* (*Australian gonococcal surveillance programme*), **8**
TAYLOR-ROBINSON D. *See* HAY PE, **428**; HILLMAN RH, **93**
TEENAGERS. *See* ADOLESCENT GIRLS
TETRACYCLINE
Resistance of *N gonorrhoeae* in Spain (*corr*), **304**
THAM SN, NG SK: Secondary syphilis with framboesiform lesions, **99**
THANGKHIEW I, DRAKE SM, WALZMAN M, *et al*: Genital infections due to *Neisseria meningitidis* (MA), **305**
THEWESSEN EAPM, van der MEIJDEN WI, DOPPENBERG HJAT, *et al*: Screening for cervical *Chlamydia trachomatis* infections in two Dutch populations, **361**
THIN RNT, LAMB J: Guidance for the planning and design of genitourinary medicine clinics, **393**
THURAIRAJASINGHAM S. *See* GOORNEY BP, **451**
TIMMINS DJ. *See*: O'MAHONY C, **304**
TOMLINSON D. *See* HILLMAN RJ, **247**
TREPONEMA PALLIDUM. See also SYPHILIS
Inaccessibility of the outer membrane to anti-treponemal antibodies, a possible role of serum proteins, **165**
Purified: rapid in vitro immobilisation and protection by extraction fluids from rabbit testes, **367**
TRICHOMONAS VAGINALIS
Detection in clinical specimens: dot-immunobinding assay with monoclonal antibody, **447**
Grown under chemostat controlled growth conditions, **193**
In attenders at an antenatal clinic in a rural area of Botswana (*corr*), **460**
TRIMETHOPRIM
In chancroid, **105**
TURNER A, JEPHCOTT AE, HAJI TC, *et al*: Ciprofloxacin resistant *Neisseria gonorrhoeae* in the UK (*corr*), **43**

ULCERS. *See* GENITAL ULCERS
UNITED KINGDOM
Ciprofloxacin resistant *N gonorrhoeae* (*corr*), **43**
Medical audit (*corr*), **43**

URETHRITIS
Postgonococcal: double-blind study of doxycycline vs placebo, **20** (MA), **408**
URINARY TRACT
Cymalon in the management of symptoms (*corr*), **461**

VAGINITIS
Desquamative inflammatory. A review, **275**
VALENT M. *See* GOMBOSOVA A, **447**
van de LAAR MJW, PICKERING J, van den HOEK JAR, *et al*: Declining gonorrhoea rates in The Netherlands, 1976–88: consequences for the AIDS epidemic, **148**
van den HOEK JAR, van der LINDEN MMD, COUTINHO RA: Increase of infectious syphilis among heterosexuals in Amsterdam: its relationship to drug use and prostitution, **31**
van den HOEK JAR. *See also* van de LAAR MJW, **148**
van den HURK PJ. *See* van LEEUWEN R, **418**
van der LINDEN MMD. *See* van den HOEK JAR, **31**
van der MEIJDEN WI. *See* THEWESSEN EAPM, **361**
van der SLUIS JJ, KANT M, ONVLEE PC, *et al*: The inaccessibility of the outer membrane of adherent *Treponema pallidum* (Nichols strain) to anti-treponemal antibodies, a possible role of serum proteins, **165**
van GRIENSVEN GJP. *See* KEET IPM, **330**
van LEEUWEN R, van den HURK PJ, JOBSIS GJ, *et al*: Failure to maintain high-dose treatment regimens during long-term use of zidovudine in patients with symptomatic human immunodeficiency virus type I infection, **418**
van RENTERGHEM L. *See* MAK R, **337**
VAZQUEZ JA, BERRON S: Lectins agglutination test as an epidemiological marker for *Neisseria gonorrhoeae* (*corr*), **302**
VAZQUEZ JA, BERRON S, MENENDEZ B: Isolate of TET M-containing *N gonorrhoeae* in Spain (*corr*), **303**
VENEREOLOGISTS
Albert Neisser (MA), **46**
Jonathan Hutchinson, **401**
VERRUCOUS CARCINOMA
Anal, containing HPV type 16 DNA: case report, **342**
VETTER KM, BARNES RC, OBERLE MW, *et al*: Seroepidemiology of chlamydia in Costa Rica, **182**
VIETNAMESE REFUGEES
Pregnant, in Hong Kong: STD, **257**
VULVITIS
Focal, and localised dyspareunia, **28**, (MA) **463**
VUZEVSKI VD. *See* ENGELKENS HJH, **264**

WADE AAH. *See* WALZMAN M, **48**
WALZMAN M, WADE AAH: Labial adhesions after genital herpes infection—authors reply (MA), **48**
WALZMAN M. *See also* THANGKHIEW I, **305**
WARTS. *See* CONDYLOMATA ACUMINATA
WAUGH MA: The Bulletin of the International Union against the Venereal Diseases and the Treponematoses, **41**
WAUGH MA: Eminent venereologists (MA), **46**
WELCH J, FORSEY P, GRAHAM EM: Home treatment of cytomegalovirus retinitis with intravenous ganciclovir (*corr*), **460**
WELCH JM. *See* MITCHELL SA, **95**
WELLER IVD. *See* KELLY GE, **238**
WESTON-SMITH S. *See* MITCHELL SA, **95**
WHITE DJ. *See* ARUMAINAYAGAM JT, **461**
WILLEMS I. *See* BEAUJEAN G, **124**
WILLIAMS O. *See* COKER DM, **44**
WILLIAMS P. *See* MINDEL A, **14**
WOODFORD N. *See* ISON CA, **82**, **351**
WOODS WH. *See* SMITH ER, **409**

YAWS
Early: a light microscopic study, **264**
Early, in Indonesia: radiological and dermatological findings in two patients, **259**
YEAST. *See also* CANDIDIASIS
In attenders at an antenatal clinic in a rural area in Botswana (*corr*), **460**
YERSINIA PSEUDOTUBERCULOSIS
Infection as a cause of reactive arthritis (MA), **48**

ZAIRE
Prevalence of *C trachomatis* infection in pregnant women (*corr*), **124**
ZAMBIA
Syphilis intervention in pregnancy, **159**
ZIDOVUDINE
And ganciclovir in treatment of cytomegalovirus retinitis in AIDS: outcome and toxicity, **156**
Failure to maintain high-dose treatment regimens during long-term use in patients with symptomatic HIV type 1 infection, **418**
ZIMBABWE
Genital infections in women attending a genito-urinary clinic in Harare, **178**